

STONCLAD XP

STONHARD

Stonclad XP is a four-component, conductive, spark-proof epoxy mortar system. This system can be used in any application where static electricity must be controlled. It is designed for explosive environments such as munitions manufacture and storage where static build-up and sparks may present operating hazards. Stonclad XP cures to an extremely hard, conductive, spark-proof, impact resistant mortar that exhibits excellent abrasion, wear and chemical resistance.

Stonhard, the leader in seamless polymer floors, walls and linings, works with customers and within our own organization to provide more “green” products to the marketplace. As the Global Leader, we have numerous manufacturing facilities that can be utilized to deliver locally manufactured materials to your project. We have developed a unique packaging method that eliminates 85% of the normal waste by volume associated with metal cans from conventional polymer flooring. Combine our packaging, our complete line of low emitting products with our unique polymer floor systems, which incorporate recycled aggregate materials, and it’s clear that we are committed to providing the products and initiatives to help you gain LEED® certification. Together, we can lessen our impact on the environment - Stonhard will help your project go Green!



Tim McCulloch
Engineering / Tech Support Manager
Stonhard division, RPM Canada

Indoor Environmental Quality (EQ) Credit 4.2 -
Low-Emitting Materials

<u>Stonclad XP</u>	<u>VOC</u> (g/L)	<u>Volume</u> (L)
Standard Primer	5	3
Stonclad XP	40	28
Stonclad XP Aggregate #1	0	20
Stonclad XP Conductive Aggregate	0	21
Stonclad XP Sealer	20	10

Total Weighted VOC Per System - 16 g/L

Total Volume Per System - 72 L

Materials & Resources (MR) Credit 5 -
Regional Materials

Manufacturing Location: Shipping Method:

One Park Avenue
Maple Shade, NJ

Truck: _____ km

Material Cost:
\$ _____ / sq. ft.

Total Project Sq. Ft.:

