# Safety Data Sheet

# Prepared in Accordance with HCS 29 C.F.R. 1910.1200



# 1. Identification of the Substance/Mixture and the Company/Undertaking

1.1 1.2	Product Identifier Product Name: Relevant identified uses of the substance or mixture and uses advised against	65XXA0 Stonkote HT4 Pigmented Amine Hardener for 2 components coatings -	Revision Date: Supercedes Date: Industrial use.	10/26/2018 06/25/2018
1.3	Details of the supplier of the safety	data sheet		
	Manufacturer:	Stonhard, Division of StonCor Group, 1000 East Park Avenue Maple Shade, NJ 08052 +1 856 7797500 (US)	Inc.	
1.4	Datasheet Produced by: Emergency telephone number:	ehs@stonhard.com CHEMTREC 1-800-424-9300 (Inside I CHEMTREC +1 703 5273887 (Outside		

# 2. Hazard Identification

## 2.1 Classification of the substance or mixture

Acute Toxicity, Inhalation, category 4 Hazardous to the aquatic environment, Chronic, category 2 Reproductive Toxicity, category 2 Skin Corrosion, category 1B Skin Sensitizer, category 1

### 2.2 Label elements

# Symbol(s) of Product



### Signal Word

Danger

### Named Chemicals on Label

4-tert-Butylphenol, Benzyl alcohol, N-(3-(trimethoxysilyl)propyl)ethylenediamine, 3-Aminomethyl-3,5,5-trimethylcyclohexylamine

## HAZARD STATEMENTS

Skin Corrosion, category 1B Skin Sensitizer, category 1 Acute Toxicity, Inhalation, category 4 Reproductive Toxicity, category 2 Hazardous to the aquatic environment, Chronic, category 2 <b>PRECAUTION PHRASES</b>	H314-1B H317 H332 H361 H411	Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful if inhaled. Suspected of damaging fertility or the unborn child. Toxic to aquatic life with long lasting effects.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/
		face protection.
	P284	Wear respiratory protection.
	P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P3	IF IN EYES: Rinse cautiously with water for several minutes.
	38	Remove contact lenses, if present and easy to do so.
		Continue rinsing.
	P308+313	IF exposed or concerned: Get medical advice/attention.
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
	P363	Wash contaminated clothing before reuse.
	P391	Collect spillage.

# 2.3 Other hazards

No Information

# Results of PBT and vPvB assessment:

No information

# 3. Composition/Information On Ingredients

## 3.2 Mixtures

### Hazardous Ingredients

CAS-No.	Chemical Name	<u>%</u>
100-51-6	Benzyl alcohol	25 - <50
98-54-4	4-tert-Butylphenol	10 - <25
68609-08-5	cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol a diglycidyl ether homopolymer	10 - <25
2855-13-2	3-Aminomethyl-3,5,5-trimethylcyclohexylamine	10 - <25
1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine	2.5 - <10

CAS-No.	GHS Symbols	GHS Hazard Statements	M-Factors
100-51-6	GHS07	H302-312-319-332	0
98-54-4	GHS05-GHS08-GHS09	H315-318-361-410	0
68609-08-5	GHS09	H411	0
2855-13-2	GHS05-GHS07	H302-314-317-412	0
1760-24-3	GHS05-GHS07	H317-318-332-412	0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

# 4. First-aid Measures

### 4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

**AFTER INHALATION:** Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes severe burns. Harmful in contact with skin and if swallowed. Irritating to eyes and respiratory system.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# 5. Fire-fighting Measures

#### 5.1 Extinguishing Media:

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

### 5.2 Special hazards arising from the substance or mixture

No Information

#### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

#### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Carbon Dioxide, Dry Chemical, Foam

### 6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

# 7. Handling and Storage

### 7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist. PROTECTION AND HYGIENE MEASURES: Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat. STORAGE CONDITIONS: Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

### 7.3 Specific end use(s)

No specific advice for end use available.

# 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

# Ingredients with Occupational Exposure Limits

(US)

Name	CAS-No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling
Benzyl alcohol	100-51-6			
4-tert-Butylphenol	98-54-4			
cyclohexanemethanamine, 5- amino-1,3,3-trimethyl-, reaction products with bisphenol a diglycidyl ether homopolymer	68609-08-5			
3-Aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2			
N-(3-(trimethoxysilyl)propyl) ethylenediamine	1760-24-3			
Name	<u>CAS-No.</u>	<u>OSHA PEL</u>	OSHA STEL	
<u>Name</u> Benzyl alcohol	<u>CAS-No.</u> 100-51-6	<u>OSHA PEL</u>	<u>OSHA STEL</u>	
		<u>OSHA PEL</u>	<u>OSHA STEL</u>	
Benzyl alcohol	100-51-6	<u>OSHA PEL</u>	<u>OSHA STEL</u>	
Benzyl alcohol 4-tert-Butylphenol cyclohexanemethanamine, 5- amino-1,3,3-trimethyl-, reaction products with bisphenol a diglycidyl ether	100-51-6 98-54-4	<u>OSHA PEL</u>	<u>OSHA STEL</u>	

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

## 8.2 Exposure controls

# Personal Protection

RESPIRATORY PROTECTION: No personal respiratory protective equipment normally required. EYE PROTECTION: Safety glasses. HAND PROTECTION: Impervious gloves. Remove and wash contaminated clothing before re-use. OTHER PROTECTIVE EQUIPMENT: No Information

**ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. MECHANICAL VENTILATION RECOMMENDED.

# 9. Physical and Chemical Properties

9.1	Information on basic physical and chemical properties Appearance:	Yellow
	Physical State	Liquid
	Odor	Amine odor
	Odor threshold	Not determined
	pH	Alkaline
	Melting point / freezing point (°C)	Not determined
	Boiling point/range (°C)	64 - N.D.
	Flash Point, (°F / °C)	233F / 111C
	Evaporation rate	Not determined
	Flammability (solid, gas)	Not determined
	Upper/lower flammability or explosive limits	N.D N.D.
	Vapour Pressure	Nil
	Vapour density	No data
	Relative density	Not determined
	Solubility in / Miscibility with water	Slight
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Viscosity	Not determined
	Explosive properties	Not applicable
	Oxidising properties	Not applicable
9.2	Other information	
	VOC Content g/I: Grams of VOC per liter of coating product as applied (r	0 nixture of Part A and Part B) per ASTM D2369 Method E.
	Specific Gravity (g/cm3)	1.024

# 10. Stability and Reactivity

## 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal conditions.

### **10.3 Possibility of hazardous reactions** Hazardous polymerisation may occur.

# 10.4 Conditions to avoid

Direct sources of heat.

### **10.5 Incompatible materials** Strong oxidizing agents.

### 10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# 11. Toxicological Information

# 11.1 Information on toxicological effects

Acute Toxicity:

Oral LD50: Inhalation LC50:	No information No information
Irritation:	No information available.
Corrosivity:	Corrosive to eyes and skin.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
100-51-6	Benzyl alcohol	1620 mg/kg, rat	2000 mg/kg, rabbit	>4178 mg/m3, rat	0.000	0.000
98-54-4	4-tert-Butylphenol	>2000 mg/kg, rat	5600 mg/kg		0.000	0.000
2855-13-2	3-Aminomethyl-3,5,5- trimethylcyclohexylamine	1030 mg/kg, rat	>2000 mg/kg, rat		0.000	5.01 mg/l 4 hr

### Additional Information:

No Information

# 12. Ecological Information

### 12.1 Toxicity:

EC50 48hr (Daphnia):	No information
IC50 72hr (Algae):	No information
LC50 96hr (fish):	No information

12.2 Persi	stence and degradability: N	No information				
12.3 Bioac	ccumulative potential: N	No information				
12.4 Mobil	ity in soil: N	lo information				
	Its of PBT and vPvB N ssment:	No information				
12.6 Other	r adverse effects: N	lo information				
CAS-No.	Chemical Name	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>		
100-51-6	Benzyl alcohol	230 mg/l	700 mg/l	460 mg/l		
98-54-4	4-tert-Butylphenol	3.4 to 4.5 mg/l	2.4 mg/l	4.71 to 5.62 mg/l		
68609-08-5	cyclohexanemethanamine, 5-amino-1,3,3- trimethyl-, reaction products with bispheno diglycidyl ether homopolymer		No information			
2855-13-2	3-Aminomethyl-3,5,5- trimethylcyclohexylamine	23 mg/l	>50 mg/l	110 mg/l		
1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamin	ne No information	No information			

# 13. Disposal Considerations

**13.1 WASTE TREATMENT METHODS:** If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14.	Transport Information	
14.1	UN number	UN2735
14.2	UN proper shipping name	Polyamines, liquid, corrosive, n.o.s.
	Technical name	Isophoronediamine, Modified aliphatic amines
14.3	Transport hazard class(es)	8
	Subsidiary shipping hazard	Not applicable
14.4	Packing group	III
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	Not applicable
	EmS-No.:	F-A, S-B
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Not applicable

# 15. Regulatory Information

<sup>15.1</sup> Safety, health and environmental regulations/legislation for the substance or mixture:

# U.S. Federal Regulations: As follows -

# **CERCLA - Sara Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Toxicity (any route of exposure), Reproductive toxicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization

#### Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

Chemical Name	<u>CAS-No.</u>
benzoic acid	65-85-0
Methanol	67-56-1
Ethylenediamine	107-15-3

### Toxic Substances Control Act:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

Chemical Name	CAS-No.
Ethylenediamine	107-15-3

U.S.	Clean	Air Act:	
------	-------	----------	--

EPA Coating Category:	Industrial Maintenance Coating
EPA VOC Content Limit (g/I):	450
Product VOC Content (g/I)	53
Thinning Recommendations:	The coating is to be applied without thinning.
Application Recommendations:	For professional use only.

\* As per the federal EPA definition for coating categories in 40 CFR 59.401.

\*\* Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

# U.S. State Regulations: As follows -

### New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

#### **Chemical Name**

No NJ Right-To-Know components exist in this product.

### Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

No PA Right-To-Know components exist in this product. **California Proposition 65:** 

No Proposition 65 Chemicals exist in this product.

## International Regulations: As follows -

### \* Canadian DSL:

All chemical ingredients included on inventory or exempt.

## 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# 16. Other Information

### Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

Harmful if swallowed

H302

# CAS-No.

H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H361	Suspected of damaging fertility or the unborn child.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Reasons for revision

Substance and/or Product Properties Changed in Section(s): 08 - Exposure Controls/Personal Protection

This Safety Data Sheet (SDS) has been revised to meet updated national hazard communication standards which have adopted the provisions of the UN GHS system. There have been both formatting and content changes based on the GHS classification (if applicable), Please review each section of the SDS for specific changes. This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration

PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
modified by the P:	rotocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.